

Abrasive Products Categories

1. Metal & Stone Discs ----- 61
 2. Flap Wheel ----- 65
 3. Abrasive Products ----- 65
 4. Sanding Pad ----- 68
 5. Sanding Block ----- 70
 6. Polishing Foams ----- 71
 7. Polishing Sponges ----- 72
 8. Buff ----- 74
 9. Lamb Wool Bonnet ----- 75
 10. Felt Bob ----- 76
 11. Bench Grinding Wheel ----- 78
 12. Tapered Spindle ----- 79



General Introduction

Best choice							
	Carbon steel	Carbon steel	Stainless steel	Copper	Brass	Bricks	Masonry
General Abrasive wheels	A24-36Q	A24-36P A24-36M	A WA24-36P	C30N	A24R	C30P	C24-30Q
Thin Cut off wheels	A46-90R	A46-90Q	A46-90P	C46-90N	C46-90R	C46-90R	C46-90R
Flexible Grinding wheels	A/C46/120	WA46-120					C46-180

Explanation of Designation

A	Abrasive kind	Brown Aluminium Oxide	A
		White Aluminium Oxide	WA
		Black Silicon Carbide	C
		Green Silicon Carbide	GC
		Mixed Grain	AC, AWA
24	Grain Size	Coarse	20,22,24
		Medium	30,36,46,54,60
		Fine	70,80,90,100,120,150
R	Grade	Medium	M.N
		Medium Hard	P.Q.R
		Hard	S.T
B	Bond	Resin	
F	Reinforced	Fibre glass	
80	Max. speed	72m/s, 80m/s, 100m/s	

Abrasive Products



Type 41/42-Cutting Wheels for Metal

1.Freehand Cut-off Wheels

Cutting of full-materials,thick-walled tubes, profiles and steel sheets.

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0502314	75	3"	1.2	3/64"	20100	80
0502315	75	3"	1.6	1/16"	20100	80
0502316	100	4"	1.2	3/64"	15300	80
0502324	100	4"	1.5	1/16"	15300	80
0502335	100	4"	1.6	1/16"	15300	80
0502317	100	4"	2.5	3/32"	15300	80
0502303	100	4"	3.0	1/8"	15300	80
0502336	115	4-1/2"	1.0	3/64"	13300	80
0502337	115	4-1/2"	1.5	1/16"	13300	80
0502338	115	4-1/2"	1.6	1/16"	13300	80
0502318	115	4-1/2"	2.0	5/64"	13300	80
0502319	115	4-1/2"	2.5	3/32"	13300	80
0502304	115	4-1/2"	3.0	1/8"	13300	80
0502333	125	5"	1.2	3/64"	12200	80
0502334	125	5"	1.6	1/16"	12200	80
0502320	125	5"	2.0	5/64"	12200	80
0502321	125	5"	2.5	3/32"	12200	80
0502305	125	5"	3.0	1/8"	12200	80
0502325	180	7"	2.5	3/32"	8500	80
0502326	180	7"	3.0	1/8"	8500	80
0502328	230	9"	2.0	5/64"	6600	80
0502330	230	9"	2.5	3/32"	6600	80
0502331	230	9"	3.0	1/8"	6600	80
0502332	230	9"	3.5	9/64"	6600	80



2.Freehand Cut-off Wheels

Cutting of full-materials,tubes,SML-ductile-tubes, profiles and steel sheets.


Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0502400	300	12"	3.0	1/8"	5100	100
0502401	350	14"	3.0	1/8"	5400	100

Type 41/42-Cutting Wheels for Stainless Steel & Alloy Steel

1.Freehand Cut-off Wheels

Cutting of sprues,full-materials,tubes and profiles.

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0502714	75	3"	2.0	5/64"	20100	80
0502717	100	4"	3.0	1/8"	15300	80
0502718	115	4-1/2"	3.0	1/8"	13300	80
0502705	125	5"	2.0	5/64"	12200	80
0502719	125	5"	3.0	1/8"	12200	80
0502710	180	7"	3.0	1/8"	8500	80
0502712	230	9"	3.0	1/8"	6600	80



2.Cut-off Wheels For Stationary Machines

Cutting of full-materials,tubes,SML-,ductile-tubes and profiles.

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0502806	350	14"	3.0	1/8"	4400/5500	80/100
0502808	400	16"	2.9	1/8"	3800/4700	80/100

Type 41/42-Cutting Wheels for Stone(Masonry)

Freehand Cut-off Wheels

Cutting of slabs,tiles,clay tubes,roofing tiles,clinker.

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0501416	115	4-1/2"	2.5	3/32"	13300	80
0501404	115	4-1/2"	3.0	1/8"	13300	80
0501417	125	5"	2.5	3/32"	12200	80
0501405	125	5"	3.0	1/8"	12200	80
0501421	180	7"	3.0	1/8"	8500	80
0501426	230	9"	3.0	1/8"	6600	80
0501429	350	14"	3.0	1/8"	4400/5500	80/100



Extra-thin Cutting Wheel for Stainless Steel (INOX)

Cutting of solid materials,tubes,profiles and sheet metal.

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0502624	100	4"	1.0	1/32"	15300	80
0502627	115	4-1/2"	1.0	1/32"	13300	80
0502628	115	4-1/2"	1.2	3/64"	13300	80
0502629	115	4-1/2"	1.6	1/16"	13300	80
0502630	125	5"	1.2	3/64"	12200	80
0502631	125	5"	1.6	1/16"	12200	80
0502634	180	7"	1.8	1/16"	8500	80
0502638	230	9"	1.8	1/16"	6600	80
0502639	230	9"	2.0	5/64"	6600	80



Extra-thin Cutting Wheel for Stone

Cutting of tiles,slabs,steps, stone-window-sills,roof-coverings.

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0501903	115	4-1/2"	1.0	1/32"	13300	80
0501906	125	5"	1.2	3/64"	12200	80
0501909	230	9"	2.0	5/64"	6600	80



T27-Grinding Wheels for Metal, Stainless Steel,Cast Iron

Grinding of sprues,hard welds,build-up welds,cleaning of castings.

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0501225	100	4"	4.0	5/32"	15300	80
0501205	100	4"	6.0	1/4"	15300	80
0501208	115	4-1/2"	6.0	1/4"	13300	80
0501210	125	5"	6.0	1/4"	12200	80
0501213	180	7"	6.0	1/4"	8500	80
0501217	230	9"	6.0	1/4"	6600	80



T27-Grinding Wheels for Stone (Masonry)

Grinding of edges,deburring,cleaning of welding seams.

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0501260	115	4-1/2"	6.0	1/4"	13300	80
0501262	125	5"	6.0	1/4"	12200	80
0501268	180	7"	6.0	1/4"	8500	80
0501272	230	9"	6.0	1/4"	6600	80





Universal Abrasive Disc

- * 6 In 1
- * Cutting Metal, Stainless Steel, Aluminium, Stone, PVC and Tiles.

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0503101	115	4-1/2"	1.0	1/32"	13300	80
0503102	125	5"	1.0	1/32"	12200	80



Multiuise Abrasive Disc

- * Cutting, Grinding and Finishing
- * Made of special sharp abrasive materials.
- * Long service life

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0503151	100	4"	2.2	5/64"	15200	80
0503152	115	4-1/2"	2.2	5/64"	13300	80
0503153	125	5"	2.5	3/32"	12200	80



Flexible Grinding Wheels

- * It is suitable for grinding various metals without gouging
- * Flexcut performs 2 operations in one pass
 - 1: Grinding (extremely fast stock removal)
 - 2: Finishing (sanding action)

Item No.	Dimension		Thickness		Speed RPM	M/S
	mm	Inch	mm	Inch		
0503201	100	4"	2.5	3/32"	15200	70
0503202	100	4"	3	1/8"	15200	70



Flap Wheel

Item No.	Outer Diameter Inch	Hole Diameter Metric	Grit	Maximum RPM	Shape
0513102	4x5/8H	100x16H	36	13,500	T27 / T29
0513104	4x5/8H	100x16H	60	13,500	T27 / T29
0513106	4x5/8H	100x16H	80	13,500	T27 / T29
0513108	4-1/2x7/8H	115x22.2H	36	13,300	T27 / T29
0513120	4-1/2x7/8H	115x22.2H	40	13,300	T27 / T29
0513110	4-1/2x7/8H	115x22.2H	60	13,300	T27 / T29
0513112	4-1/2x7/8H	115x22.2H	80	13,300	T27 / T29
0513122	5x7/8H	125x22.2H	36	12,200	T27 / T29
0513124	5x7/8H	125x22.2H	60	12,200	T27 / T29
0513126	5x7/8H	125x22.2H	80	12,200	T27 / T29
0513128	5x7/8H	125x22.2H	120	12,200	T27 / T29
0513114	7x7/8H	180x22.2H	36	8,500	T27 / T29
0513116	7x7/8H	180x22.2H	60	8,500	T27 / T29
0513118	7x7/8H	180x22.2H	80	8,500	T27 / T29



Applications

- 1 For combined grinding and finishing in electric or air powered right angle grinders.
- 1 For general purpose grinding and smoothing of ferrous or non-ferrous metals. Long life in stainless steel.

Flap Wheel

Item No.	Outer Diameter Inch	Hole Diameter Metric	Grit	Maximum RPM	Shape
0513208	4-1/2x7/8H	115x22.2H	36	13,300	T27 / T29
0513220	4-1/2x7/8H	115x22.2H	40	13,300	T27 / T29
0513210	4-1/2x7/8H	115x22.2H	60	13,300	T27 / T29
0513212	4-1/2x7/8H	115x22.2H	80	13,300	T27 / T29
0513222	4-1/2x7/8H	115x22.2H	120	13,300	T27 / T29
0513224	4-1/2x7/8H	115x22.2H	220	13,300	T27 / T29
0513226	5x7/8H	125x22.2H	36	12,200	T27 / T29
0513228	5x7/8H	125x22.2H	60	12,200	T27 / T29
0513230	5x7/8H	125x22.2H	80	12,200	T27 / T29
0513232	5x7/8H	125x22.2H	100	12,200	T27 / T29
0513214	7x7/8H	180x22.2H	36	8,500	T27 / T29
0513216	7x7/8H	180x22.2H	60	8,500	T27 / T29
0513218	7x7/8H	180x22.2H	80	8,500	T27 / T29



Applications

- 1 For combined grinding and finishing in electric or air powered right angle grinders.
- 1 For general purpose grinding and smoothing of ferrous or non-ferrous metals.

Silicon Carbide Ceramic Grinding Wheels

Item No.	Inch	Metric
0521102-a	4"	100mm



Zec Wheel

Item No.	Inch	Metric	Grit
0508104	4-1/2x5/64x5/8	115x2.0x16	8# - 36#
0508103	5x5/64x7/8	125x2.0x22	8# - 36#
0508102	7x5/64x7/8	180x2.0x22	8# - 36#





Resin Bond Fiber For Granite

Item No.	Diameter x Hole Size		Grit	Maximum RPM	Sharp
	Inch	Metric			
0508402	4-1/2x7/8H	115x22H	36	13,300	Depressed
0508403	4-1/2x7/8H	115x22H	50	13,300	Depressed
0508404	4-1/2x7/8H	115x22H	60	13,300	Depressed
0508405	4-1/2x7/8H	115x22H	80	13,300	Depressed
0508406	4-1/2x7/8H	115x22H	100	13,300	Depressed
0508407	4-1/2x7/8H	115x22H	120	13,300	Depressed



Fiber Disc

Aluminum Oxide

Item No.	Dimension		Grit
	mm	Inch	
0504901	100x16	4"x5/8"	36
0504902	100x16	4"x5/8"	50
0504903	100x16	4"x5/8"	80
0504904	100x16	4"x5/8"	120
0504911	115x22.2	4-1/2"x7/8"	36
0504912	115x22.2	4-1/2"x7/8"	50
0504913	115x22.2	4-1/2"x7/8"	80
0504914	115x22.2	4-1/2"x7/8"	120
0504921	180x22.2	7"x7/8"	16
0504922	180x22.2	7"x7/8"	24
0504923	180x22.2	7"x7/8"	36
0504924	180x22.2	7"x7/8"	50
0504925	180x22.2	7"x7/8"	80
0504926	180x22.2	7"x7/8"	120



Silicone Carbide

Item No.	Dimension		Grit
	mm	Inch	
0504951	100x16	4"x5/8"	36
0504952	100x16	4"x5/8"	60
0504953	100x16	4"x5/8"	80
0504954	100x16	4"x5/8"	100
0504961	115x22.2	4-1/2"x7/8"	36
0504962	115x22.2	4-1/2"x7/8"	60
0504963	115x22.2	4-1/2"x7/8"	80
0504964	115x22.2	4-1/2"x7/8"	100
0504971	180x22.2	7"x7/8"	36
0504972	180x22.2	7"x7/8"	60
0504973	180x22.2	7"x7/8"	80
0504974	180x22.2	7"x7/8"	100



Rotary Flap Sander

Item No.	Outer Diameter x Thickness x Hole Diameter		Grit	Maximum RPM
	Inch	Metric		
0513301	1 x 1 x 1/4 shank	25 x 25 x 6.35shank	60	25,000
0513302	1 x 1 x 1/4 shank	25 x 25 x 6.35shank	80	25,000
0513303	1 x 1 x 1/4 shank	25 x 25 x 6.35shank	120	25,000
0513325	1 x 1 x 1/4 shank	25 x 25 x 6.35shank	180	25,000
0513326	1-1/2 x 3/4 x 1/4 shank	38 x 19 x 6.35shank	60	18,000
0513327	1-1/2 x 3/4 x 1/4 shank	38 x 19 x 6.35shank	80	18,000
0513328	1-1/2 x 3/4 x 1/4 shank	38 x 19 x 6.35shank	120	18,000
0513329	1-1/2 x 1 x 1/4 shank	38 x 25 x 6.35shank	60	15,000
0513330	1-1/2 x 1 x 1/4 shank	38 x 25 x 6.35shank	80	15,000
0513331	1-1/2 x 1 x 1/4 shank	38 x 25 x 6.35shank	120	15,000
0513332	1-1/2 x 1 x 1/4 shank	38 x 25 x 6.35shank	180	15,000
0513304	2 x 1 x 1/4 shank	50 x 25 x 6.35shank	60	22,000
0513305	2 x 1 x 1/4 shank	50 x 25 x 6.35shank	80	22,000
0513333	2 x 1 x 1/4 shank	50 x 25 x 6.35shank	120	22,000
0513334	2 x 1 x 1/4 shank	50 x 25 x 6.35shank	180	22,000
0513307	3 x 1 x 1/4 shank	75 x 25 x 6.35shank	60	18,000
0513308	3 x 1 x 1/4 shank	75 x 25 x 6.35shank	80	18,000
0513309	3 x 1 x 1/4 shank	75 x 25 x 6.35shank	120	18,000
0513313	6 x 1 x 1 H	150 x 25 x 22.2H	60	6,000
0513314	6 x 1 x 1 H	150 x 25 x 22.2H	80	6,000
0513322	8 x 2 x 1 H	200 x 50 x 22.2H	60	4,000
0513323	8 x 2 x 1 H	200 x 50 x 22.2H	80	4,000



Applications

- 1 For finishing and light stock removal.
- 1 For ferrous and non-ferrous metals, woods, and plastics.
- 1 Deburring and blending.
- 1 Cleaning and polishing.
- 1 Pre-paint preparation.

Non-woven Interleave Rotary Flap Sander

Item No.	Outer Diameter x Thickness x Hole Diameter		Grit	Maximum RPM
	Inch	mm		
0513552	2x1-3/16x1/4 shank	50 x 30 x 6shank	60	22,000
0513554	2x1-3/16x1/4 shank	50 x 30 x 6shank	100	22,000
0513556	2x1-3/16x1/4 shank	50 x 30 x 6shank	150	22,000
0513558	2x1-3/16x1/4 shank	50 x 30 x 6shank	200	22,000
0513562	2-3/8x2x1/4 shank	60 x 50 x 6shank	60	20,000
0513564	2-3/8x2x1/4 shank	60 x 50 x 6shank	100	20,000
0513566	2-3/8x2x1/4 shank	60 x 50 x 6shank	150	20,000
0513568	2-3/8x2x1/4 shank	60 x 50 x 6shank	200	20,000
0513582	3-1/8x2x1/4 shank	80 x 50 x 6 shank	60	17,000
0513584	3-1/8x2x1/4 shank	80 x 50 x 6 shank	100	17,000
0513586	3-1/8x2x1/4 shank	80 x 50 x 6 shank	150	17,000
0513588	3-1/8x2x1/4 shank	80 x 50 x 6 shank	200	17,000



Quick-change Surface Conditioning Discs

Item No.	Outer Diameter		Grit	Maximum RPM
	Inch	mm		
0514101	1"	25	36	25,000
0514102	1"	25	80	25,000
0514103	1"	25	100	25,000
0514104	1"	25	120	25,000
0514111	2"	50	36	22,000
0514112	2"	50	80	22,000
0514113	2"	50	100	22,000
0514114	2"	50	120	22,000
0514121	3"	75	36	18,000
0514122	3"	75	80	18,000
0514123	3"	75	100	18,000
0514124	3"	75	120	18,000



Spongy Wheel

Item No.	Outer Diameter x Hole Diameter		Grit
	Inch	Metric	
0512001	4x3/8x5/8H	100 x 10 x 16	36
0512002	4x3/8x5/8H	100 x 10 x 16	60
0512003	4x3/8x5/8H	100 x 10 x 16	80
0512004	4x3/8x5/8H	100 x 10 x 16	100
0512005	4x3/8x5/8H	100 x 10 x 16	220
0512006	4x3/8x5/8H	100 x 10 x 16	240
0512007	4x3/8x5/8H	100 x 10 x 16	500
0512008	4x3/8x5/8H	100 x 10 x 16	800
0512009	4x3/8x5/8H	100 x 10 x 16	1000
0512010	4x3/8x5/8H	100 x 10 x 16	1500
0512011	4x3/8x5/8H	100 x 10 x 16	2000
0512012	4-1/2x3/8x7/8H	115 x 10 x 22.2	80
0512013	4-1/2x3/8x7/8H	115 x 10 x 22.2	100
0512014	4-1/2x3/8x7/8H	115 x 10 x 22.2	120
0512015	4-1/2x3/8x7/8H	115 x 10 x 22.2	220
0512016	4-1/2x3/8x7/8H	115 x 10 x 22.2	320
0512017	4-1/2x3/8x7/8H	115 x 10 x 22.2	600



Carborundum Sharpening Stone

Item No.	Outer Diameter x Width x Thickness	
	Inch	Metric
0512901	9" x 1-5/16" x 1/2"	230 x 33 x 13.5





Sanding Pad

1. Sanding Pad, With Velcro

Item No.	Outer mm	Diameter Inch	Thread Size
0506205	100	4"	5/16" - 24UNF



2. Sanding Pad 8 Holes, With Velcro

Item No.	Outer mm	Diameter Inch	Thread Size
0506216	125	5"	5/16" - 24UNF
0506217	150	6"	5/16" - 24UNF




3. Sanding Pad, With Velcro

Item No.	Outer mm	Diameter Inch	Thread Size
0506226	125	5"	5/16" - 24UNF
0506227	150	6"	5/16" - 24UNF



4. Sanding Pad 8+1 Holes, With Velcro

Item No.	Outer mm	Diameter Inch	Thread Size
0506237	150	6"	5/16" - 24UNF




5. Backing Sanding Pad, With Velcro

Item No.	Outer mm	Diameter Inch	Thread Size
0506256	125	5"	M10x1.5, M14x2, 5/8" -11NC
0506257	150	6"	M14x2, 5/8" -11NC, M16x2
0506258	180	7"	M14x2, 5/8" -11NC, M16x2



6. Backing Sanding Pad, With Velcro

Item No.	Outer mm	Diameter Inch	Thread Size
0506266	125	5"	M10x1.5, M14x2, 5/8" -11NC
0506267	150	6"	M14x2, 5/8" -11NC, M16x2
0506268	180	7"	M14x2, 5/8" -11NC, M16x2



7. Backing Sanding Pad, With Velcro

Item No.	Outer mm	Diameter Inch	Thread Size
0506276	125	5"	M10x1.5, M14x2, 5/8" -11NC
0506277	150	6"	M14x2, 5/8" -11NC, M16x2
0506278	180	7"	M14x2, 5/8" -11NC, M16x2



8. Backing Sanding Pad, With Velcro

Item No.	Outer mm	Diameter Inch	Thread Size
0506288	180	7"	M14x2, 5/8" -11NC, M16x2




9. Plastic Backing Pad, With Velcro

Item No.	Outer mm	Diameter Inch	Thread Size
0506295	100	4"	M10x1.25, M10x1.5, M14x2
0506296	125	5"	M14x2, 5/8" -11NC, M16x2
0506297	150	6"	M14x2, 5/8" -11NC, M16x2
0506298	180	7"	M14x2, 5/8" -11NC, M16x2



10. Plastic Backing Pad, With Velcro

Item No.	Outer mm	Diameter Inch	Thread Size
0506405	115	4-1/2"	M14x2, 5/8" -11NC, M16x2
0506406	125	5"	M14x2, 5/8" -11NC, M16x2
0506407	150	6"	M14x2, 5/8" -11NC, M16x2
0506408	180	7"	M14x2, 5/8" -11NC, M16x2
0506409	230	9"	M14x2, 5/8" -11NC, M16x2



Abrasive Products


Abrasive Products



Sanding Block


1. Sanding Block, With Velcro

Item No.	Outer mm	Diameter Inch
0507116	125	5"
0507117	150	6"



2. Sanding Block, With Velcro

Item No.	Outer mm	Diameter Inch
0507126	125	5"
0507127	150	6"




3. Sanding Block, With Velcro

Item No.	mm	Size Inch
0507137	90x150	3-9/16"x6"



4. Sanding Block, With Velcro


Item No.	mm	Size Inch
0507146	55x120	2-3/16"x4-3/4"



Polishing Foams

1. Polishing Foams (soft), With Velcro

Item No.	Outer Diameter mm	Thickness Inch
0507201	125x30	5"x1-3/16"
0507202	150x30	6"x1-3/16"
0507203	180x30	7"x1-3/16"
0507206	125x50	5"x2"
0507207	150x50	6"x2"
0507208	180x50	7"x2"



2. Polishing Foams (medium), With Velcro

Item No.	Outer Diameter mm	Thickness Inch
0507211	125x30	5"x1-3/16"
0507212	150x30	6"x1-3/16"
0507213	180x30	7"x1-3/16"
0507216	125x50	5"x2"
0507217	150x50	6"x2"
0507218	180x50	7"x2"




3. Polishing Foams (firm), With Velcro

Item No.	Outer Diameter mm	Thickness Inch
0507221	125x30	5"x1-3/16"
0507222	150x30	6"x1-3/16"
0507223	180x30	7"x1-3/16"
0507226	125x50	5"x2"
0507227	150x50	6"x2"
0507228	180x50	7"x2"




4. Polishing Foams (soft), With Velcro

Item No.	Outer Diameter mm	Thickness Inch
0507231	80x30	3-1/8"x1-3/16"
0507232	100x30	4"x1-3/16"
0507233	115x30	4-1/2"x1-3/16"
0507234	125x30	5"x1-3/16"
0507235	150x30	6"x1-3/16"
0507236	180x30	7"x1-3/16"
0507237	200x30	8"x1-3/16"



5. Polishing Foams (medium), With Velcro

Item No.	Outer Diameter mm	Thickness Inch
0507241	80x30	3-1/8"x1-3/16"
0507242	100x30	4"x1-3/16"
0507243	115x30	4-1/2"x1-3/16"
0507244	125x30	5"x1-3/16"
0507245	150x30	6"x1-3/16"
0507246	180x30	7"x1-3/16"
0507247	200x30	8"x1-3/16"



Abrasive Products

Abrasive Products



6. Polishing Foams (hard), With Velcro

Item No.	Outer Diameter x Thickness mm	Inch
0507251	80x30	3-1/8"x1-3/16"
0507252	100x30	4"x1-3/16"
0507253	115x30	4-1/2"x1-3/16"
0507254	125x30	5"x1-3/16"
0507255	150x30	6"x1-3/16"
0507256	180x30	7"x1-3/16"
0507257	200x30	8"x1-3/16"



Compounding + Polishing Sponges


1. Compounding + Polishing Sponges (soft)

Item No.	Outer Diameter mm	Thickness Inch	Thread Size
0507316	125x50	5"x2"	M10x1.5, M14x2, 5/8" -11NC
0507317	150x50	6"x2"	M14x2, 5/8" -11NC, M16x2
0507318	180x50	7"x2"	M14x2, 5/8" -11NC, M16x2




2. Compounding + Polishing Sponges (medium)

Item No.	Outer Diameter mm	Thickness Inch	Thread Size
0507326	125x50	5"x2"	M10x1.5, M14x2, 5/8" -11NC
0507327	150x50	6"x2"	M14x2, 5/8" -11NC, M16x2
0507328	180x50	7"x2"	M14x2, 5/8" -11NC, M16x2



3. Compounding + Polishing Sponges (hard)

Item No.	Outer Diameter mm	Thickness Inch	Thread Size
0507336	125x50	5"x2"	M10x1.5, M14x2, 5/8" -11NC
0507337	150x50	6"x2"	M14x2, 5/8" -11NC, M16x2
0507338	180x50	7"x2"	M14x2, 5/8" -11NC, M16x2



Lamb Wool Polishing Bonnet

Lamb Wool Polishing Bonnet, With Tightening

Item No.	Metric	Inch
0509101	125	5"
0509102	135	5-1/4"
0509103	150	6"
0509104	180	7"
0509107	190	7-1/2"
0509108	200	8"



Wool Bonnet

Wool Bonnet, With Velcro

Item No.	Metric	Inch
0509121	125	5"
0509123	150	6"
0509125	180	7"
0509127	200	8"




5pcs Sanding Pad Set (0517101)

- 1pc 75mm rubber sanding pad with velcro
- 1pc 105mm black polishing sponge with velcro
- 1pc 105mm orange plishing sponge with velcro
- 1pc 120mm yellow wool bonnet with velcro
- 1pc 120mm white wool bonnet with velcro



5pcs Sanding Pad Set (0517102)

- 1pc 120mm rubber sanding pad with velcro
- 1pc 125mm sanding disc with velcro, grit 180
- 1pc 125mm sanding disc with velcro, grit 240
- 1pc 125mm sanding disc with velcro, grit 400
- 1pc 125mm wool bonnet with tightening
- 1pc 125mm blue polishing sponge with velcro



Abrasive Products

Abrasive Products



7pcs Hexagon Foam Polishing Pad Set (0517103)



12pcs Polishing Pad Set(0517104)

- 5pcs flat foam pad
- 4pcs waffle foam pad
- 1pc backing pad M14
- 1pc adaptor
- 1pc woolen pad



24pcs Polishing Pad Set(0517105)

- 8pcs flat foam pad
- 8pcs waffle foam pad
- 2pcs backing pad M14
- 2pcs adaptor
- 2pcs sand paper
- 2pcs woolen pad



4pcs Polishing Pad Set(0517106)

- 1pc wool pad
- 3pcs waffle foam pad



Yellow Buff

Item No.	Inch	Metric	PLY	STITCHING
0509401	3	75	46	4rows
0509402	4	100	40	3rows
0509403	6	150	50	6rows
0509404	6	150	60	8rows
0509405	8	200	50	9rows
0509406	10	250	50	9rows

Leather Patch Center Or 1" Arbor

White Buff

Item No.	Inch	Metric	PLY	STITCHING
0509501	1	25	16	1rows
0509512	4	100	45	3rows
0509513	4	100	55	7rows
0509514	4	100	75	3rows
0509521	6	150	18	4rows
0509522	6	150	40	1rows
0509523	6	150	50	6rows
0509524	6	150	55	6rows
0509525	6	150	80	1rows
0509526	6	150	80	6rows
0509531	8	200	40	1rows
0509532	8	200	50	9rows
0509533	8	200	80	1rows
0509534	8	200	80	9rows
0509541	10	250	40	1rows
0509542	10	250	50	9rows

Leather Patch Center

White Buff With Shank

Item No.	Inch	Metric	Width	Shank D.
0509201	2-1/2"	65	16(5/8")	6(1/4")
0509202	2-1/2"	65	13(1/2")	6(1/4")
0509203	2-1/2"	65	20(3/4")	6(1/4")
0509211	3"	75	13(1/2")	6(1/4")
0509212	3"	75	16(5/8")	6(1/4")

White Buff With Handle

Item No.	Diameter		Shank	
	Inch	Metric	Inch	Metric
0509301	1.5"	38	1/4"	6
0509302	2"	51	1/4"	6
0509303	2.5"	64	1/4"	6
0509304	3.5"	89	1/4"	6

Item No.	Diameter		Shank	
	Inch	Metric	Inch	Metric
0509311	1.5"	38	1/4"	6
0509312	2"	51	1/4"	6
0509333	2.5"	64	1/4"	6
0509344	3"	76	1/4"	6

Item No.	Diameter		Shank	
	Inch	Metric	Inch	Metric
0509321	1.5"	38	1/4"	6
0509322	2"	51	1/4"	6
0509323	2.5"	64	1/4"	6
0509324	3"	76	1/4"	6
0509325	3.5"	89	1/4"	6
0509326	4"	102	1/4"	6



Abrasive Products

Abrasive Products



Sisal Buff

Item No.	Diameter		PLY	STITCHING
	Inch	Metric		
0509601	3	75	11	5rows
0509603	6	150	11	Spiral row
0509605	8	200	11	Spiral row
0509607	10	250	11	Spiral row



Airway Buff

Item No.	Diameter		PLY
	Inch	Metric	
0509701	8	200	16



Color Buff

Item No.	Diameter		Thickness	STITCHING
	Inch	Metric		
0509801	6	150	20mm	7rows
0509802	8	200	20mm	10rows



Felt Polishing Wheel

Item No.	Diameter		Density
	Inch	Metric	
0509901	6"x1/2"x1"	150x12.5x25	Soft
0509902	6"x1/2"x1"	150x12.5x25	Med
0509903	6"x1/2"x1"	150x12.5x25	Hard
0509904	6"x1"x1/2"	150x25x12.5	Med
0509905	6"x1"x1"	150x25x25	Hard
0509906	8"x1"x1"	200x25x25	Hard



Cylinder Bob

Item No.	Diameter		Working Height		Shank	
	Inch	Metric	Inch	Metric	Inch	Metric
0526101	1/4"	6.4	1/4"	6.4	1/8"	3.2
0526102	1/4"	6.4	3/8"	9.5	1/8"	3.2
0526103	3/8"	9.5	3/8"	9.5	1/8"	3.2
0526104	1/2"	12.7	1/2"	12.7	1/8"	3.2
0526105	1/2"	12.7	3/4"	19.1	1/8"	3.2
0526106	1/2"	12.7	1"	25.4	1/8"	3.2
0526107	3/4"	19.1	3/4"	19.1	1/8"	3.2
0526108	3/4"	19.1	1"	25.4	1/8"	3.2
0526109	3/4"	19.1	1-1/2"	38.1	1/4"	6.35
0526110	1"	25.4	1"	25.4	1/4"	6.35
0526111	1"	25.4	1-1/4"	31.8	1/4"	6.35
0526112	1"	25.4	1-1/2"	38.1	1/4"	6.35
0526113	1"	25.4	2"	50.8	1/4"	6.35
0526115	1-1/4"	31.8	1-1/4"	31.8	1/4"	6.35
0526116	1-1/2"	38.1	1"	25.4	1/4"	6.35
0526117	1-1/2"	38.1	1-1/2"	38.1	1/4"	6.35



Density Available: soft, medium, hard

Shaped Bob Type1

Item No.	Diameter		Working Height		Shank	
	Inch	Metric	Inch	Metric	Inch	Metric
0526201	3/8"	9.5	1/2"	12.7	1/8"	3.2
0526202	1/2"	12.7	1"	25.4	1/8"	3.2
0526203	3/4"	19.1	1-1/2"	38.1	1/4"	6.35
0526204	1"	25.4	2"	50.8	1/4"	6.35

Density Available: soft, medium, hard



Type1

Shaped Bob Type2

Item No.	Diameter		Working Height		Shank	
	Inch	Metric	Inch	Metric	Inch	Metric
0526206	3/8"	9.5	1/2"	12.7	1/8"	3.2
0526207	1/2"	12.7	1/2"	12.7	1/8"	3.2
0526208	3/4"	19.1	3/4"	19.1	1/8"	3.2
0526209	1"	25.4	1"	25.4	1/4"	6.35

Density Available: soft, medium, hard



Type2

Shaped Bob Type3

Item No.	Diameter		Working Height		Shank	
	Inch	Metric	Inch	Metric	Inch	Metric
0526210	3/8"	9.5	1/2"	12.7	1/8"	3.2
0526211	1/2"	12.7	1"	25.4	1/8"	3.2
0526212	3/4"	19.1	1-1/2"	38.1	1/4"	6.35
0526213	1"	25.4	2"	50.8	1/4"	6.35

Density Available: soft, medium, hard



Type3

Shaped Bob Type4

Item No.	Diameter		Working Height		Shank	
	Inch	Metric	Inch	Metric	Inch	Metric
0526214	1/2"	12.7	3/4"	19.1	1/8"	3.2
0526215	3/4"	19.1	1"	25.4	1/4"	6.35
0526216	1"	25.4	1-1/4"	31.8	1/4"	6.35

Density Available: soft, medium, hard



Type4

Shaped Bob Type5

Item No.	Diameter		Working Height		Shank	
	Inch	Metric	Inch	Metric	Inch	Metric
0526217	3/8"	9.5	1/2"	12.7	1/8"	3.2
0526218	1/2"	12.7	3/4"	19.1	1/8"	3.2
0526219	3/4"	19.1	1"	25.4	1/4"	6.35
0526220	1"	25.4	1-1/4"	31.8	1/4"	6.35

Density Available: soft, medium, hard



Type5

Shaped Bob Type6

Item No.	Diameter		Working Height		Shank	
	Inch	Metric	Inch	Metric	Inch	Metric
0526221	1/2"	12.7	1/2"	12.7	1/8"	3.2
0526222	3/4"	19.1	3/4"	19.1	1/4"	6.35
0526223	1"	25.4	1"	25.4	1/4"	6.35

Density Available: soft, medium, hard



Type6

Abrasive Products

Abrasive Products



Bench Grinding Wheel



Brown corundum(A)

Features: The basic type of corundum. Brown in color. Very hard and high elasticity

Applications: Used in the whittling of normal. Free whittling and coarse whittling.etc. Also used in the whittling of bard bronze. Forgable cast iron and alloy steel.etc.

White corundum(WA)

Features: The basic type of corundum. White in color. Higher hardness and lower elasticity than brown corundum

Applications: Used in the whittling of chilled steel. Alloy steel and high speed steel.etc. Also used in the processing of bolt line gear wheels and thin-wall parts.etc.

Green carbonized silicon(CG)

Features: Green in color. The hardness only inferior to carbonized boron and diamond, but a bit higher hardness and crispness than black carbonized silicon.

Applications: Used in the whittling of high hardness materials such as hard alloy, glass, agate and cylinder cover.etc.

Item No.	Diameter		Thickness	
	Inch	Metric	Inch	Metric
0519101	5"	125	1/2"	13
0519102	5"	125	5/8"	16
0519103	5"	125	3/4"	20
0519104	6"	150	1/2"	13
0519105	6"	150	5/8"	16
0519106	6"	150	3/4"	20
0519107	6"	150	1"	25
0519108	7"	175	3/4"	20
0519109	7"	175	1"	25
0519110	8"	200	3/4"	20
0519111	8"	200	1"	25
0519112	8"	200	1-9/16"	40
0519113	10"	250	1"	25
0519114	10"	250	1-1/4"	32
0519115	12"	300	1"	25
0519116	12"	300	1-1/4"	32
0519117	12"	300	1-1/2"	38
0519118	14"	350	1"	25
0519119	14"	350	1-1/4"	32
0519120	14"	350	1-9/16"	40
0519121	14"	350	2"	50
0519122	16"	400	1"	25
0519123	16"	400	1-1/2"	38

Item No.	Diameter		Overall Length	
	Inch	Metric	Inch	Metric
0519124	16"	400	1-9/16"	40
0519125	16"	400	2"	50
0519126	16"	400	2-1/2"	63
0519127	18"	450	1"	25
0519128	18"	450	1-9/16"	40
0519129	18"	450	2"	50
0519130	18"	450	2-1/2"	63
0519131	18"	450	4"	100
0519132	20"	500	1"	25
0519133	20"	500	1-9/16"	40
0519134	20"	500	2"	50
0519135	20"	500	2-1/2"	63
0519136	20"	500	4"	100
0519137	22"	550	1"	25
0519138	22"	550	1-9/16"	40
0519139	22"	550	2"	50
0519140	22"	550	2-1/2"	63
0519141	22"	550	4"	100
0519142	24"	600	1"	25
0519143	24"	600	1-9/16"	40
0519144	24"	600	2"	50
0519145	24"	600	2-1/2"	63
0519146	24"	600	4"	100

Arbor Sizes: 125mm Available: 12.7, 16, 20, 25.4mm; 150mm Available: 12.7, 16, 20, 25.4, 32mm; 175/200mm Available:20, 25.4, 32mm; 250mm Available: 25.4, 32, 38.1mm; 300mm Available: 25.4, 32, 38.1, 76.2mm; 350mm Available: 25.4, 38.1, 76.2, 127mm; 400/450mm Available: 25.4, 38.1, 127, 203mm; 500/550/600mm Available: 25.4, 38.1, 127, 203, 305mm;

1. Tapered Spindle, Round Shank

Item No.	Specification mm	Description
0520001-1	12x130mm	Round Shank,left Hand
0520001-2	12x130mm	Round Shank,right Hand



2. Tapered Spindle, Hex Shank

Item No.	Specification mm	Description
0520002-1	12x130mm	Round Shank,left Hand
0520002-2	12x130mm	Round Shank,right Hand



2. Tapered Spindle

Item No.	Specification mm	Description
0520003-1	16x145mm	Left Hand
0520003-2	16x145mm	Right Hand



Abrasive Products

Abrasive Products